



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 5 N

R 2 E



Township N° V North of the Base Line, Range N° II East of 2nd Meridian. Surveyed by Arthur Henric - 1811

Description of the Soil on the interior Sectional lines.

Township N. 5 North, Range N. 2 East 2nd Mer.

Range Line — Var. 7° 00' E.		North	On the East Side of Sec. 12
North	Between Ranges 2 & 3 E. Town 5 North	40.00	gr. Sec. Corner Beech 8 St 68 E 3
	On the East Side of Sec. 36		do 8 St 8 E 33
40.00	gr. Sec. Corner Poplar 20 St 40 N 23	74.00	A. Brook 10 lbs East
	Beech 12 St 70 E 25	80.00	Set post corner to Sec. 10 12
75.75	A. Brook 10 lbs. N. W		Beech 20 St 6 E 50
80.00	Set post corner to Sec. 25 St 36		do 20 St 50 N 28
	Beech 20 St 11 E 13		Same the same?
	do 11 St 5 E 11	North	On the East Side of Sec. 1
	Same Broken. Beech. Poplar V.	40.00	gr. Sec. Corner Beech 18 St 5 N 3
North	On the East Side of Sec. 25		do 6 St 5 N 31
23.70	A. Sugar 10 in. diam.	80.00	Set post corner of Towns 5 St 6 in Ranges 2 & 3 E
40.00	gr. Sec. Corner Beech 12 St 15 N 30		Beech 28 St 85 E 23
	do 6 St 9 N 16		do 15 St 83 N 28
48.50	A. Brook 20 lbs West		Same & Timber the same?
60.00	A. Gum 12 in. diam.	Township Line — Random	
74.00	A. Brook 20 lbs West	West	Between Townships 405 N. 2 E
80.00	Set post corner to Sec. 24 St 25		On Random
	Beech 28 St 16 N 14	40.00	Set temporary gr. Sec. post
	Sugar 10 St 88 E 9	80.00	Set temporary mile post
	Same & Timber the same?		Same & Timber Oak V.
North	On the East Side of Sec. 24	West	Line continued On Random
22.90	A. Poplar 36 in. diam.	40.00	Set temporary gr. Sec. post
40.00	gr. Sec. Corner Poplar 36 South 18	75.50	A. Brook 75 lbs South
	Beech 6 St 63 E 4	80.00	Set temporary mile post
80.00	Set post corner to Sec. 13 St 24	West	Line continued On Random
	Dickory 12 St 88 E 8	40.00	Set temporary gr. Sec. post
	Sugar 8 St 65 N 14	60.00	A. Spring run 6 lbs. South
	Same the same?	80.00	Set temporary mile post
North	On the East Side of Sec. 13		Good Farming land. Timber same
19.38	A. Brook 50 lbs West	West	Line continued On Random
32.50	A. Brook 10 lbs S. E	40.00	Temporary gr. Sec. post
40.00	gr. Sec. Corner Maple 8 St 19 E 35	80.00	Set temporary mile post
	Beech 8 St 31 N 15		
80.00	Set post corner to Sec. 12 St 13		
	Beech 8 St 1 N 13		
	do 8 St 8 E 10		

West	Line continued On Random	East	Continued on true line
9.00	A. Brook 100 lbs. South	40.00	gr. Sec. Corner Dogwood 6 St 13 N 8
40.00	Set temporary gr. Sec. post		Beech 6 St 53 N 15
80.00	Set temporary mile post	80.00	Set post corner to Sec. 35 St 36
	Good Farming land. Oak. Beech. Poplar V.		Beech 6 St 57 E 27
West	Line continued On Random		Walnut 12 St 36 E 29
40.00	Set temporary gr. Sec. post	East	Continued on true line
71.25	Set South of Town. Corner	40.00	gr. Sec. Corner N. Oak 12 St 21 N 9
	Very Rich Farming land. Oak. Beech. Poplar V. & Gum		Dogwood 5 St 80 E 43
True line — var. 6° 10' E.		80.00	Township Corner
East	Between Townships 405 N. 2 E East		Surveyed by Arthur Mann D.S.
31.25	gr. Sec. Corner Sugar 12 St 59 E 7		
	Beech 6 St 12 E 23		
71.25	Set post to corner of Sec. 31 St 32		
	Beech 12 St 5 E 7		
	do 10 St 39 N 20		
East	Line continued		
40.00	On true line Beech 10 St 24 N 1		
	do 12 St 24 E 26		
80.00	Set post to corner of Sec. 32 St 33		
	N. Oak 10 St 81 E 28		
	B. Oak 20 St 70 N 11		
East	Continued On true line		
40.00	gr. Sec. Corner Hickory 10 St 86 E 12		
	N. Oak 12 St 12 E 22		
80.00	Set post to corner of Sec. 33 St 34		
	Beech 10 St 23 E 4		
	do 8 St 9 N 20		
East	Continued On true line		
40.00	gr. Sec. Corner Beech 20 St 84 E 24		
	Dogwood 8 St 68 N 22		
80.00	Set post corner to Sec. 34 St 35		
	Sugar 10 St 64 E 10		
	Beech 12 St 67 N 6		

Subdivisions of 15 St. Range 2 East		North	Between Sec. 23 & 24
40.00	gr. Sec. corner Dogwood 6 ft E 3	40.00	gr. Sec. corner Ironwood 6 ft 10 E 19
	Poplar 10 ft 8 ft W 15		Sycamore 24 ft 14 E 21
60.00	A. Brook 12 lbs North	43.00	A. Brook 5 lbs West
78.00	A. Brook 30 lbs S. W	80.00	Set post corner of Sec. 13, 14, 23, 24
80.00	Set post corner to Sec. 25, 26, 35, 36		Elm 10 ft 10 E 10
	Elm 8 ft 5 W 24		Beech 4 ft 24 E 8
	do 12 ft 20 E 38		Land Hilly. Beech. Oak. Sugar & Hickory
	Land Hilly. timber Beech. Oak. Sugar & Hickory	East	Between Sec. 13 & 24 On Random
East	Between Sec. 25 & 36 On Random	16.00	A. Brook 10 lbs South
1.00	A. Brook 30 lbs. S. W	40.00	Temporary gr. Sec. post
40.00	Set Temporary gr. Sec. post	55.00	A. Brook 40 lbs S. W
80.40	Intersected N & S line 12 lbs South of post	80.50	Intersected N & S line 40 lbs S. of post
	Land & Timber the same		Land & Timber same
West	Corrected	West	Corrected
40.20	gr. Sec. corner Elm 10 ft 8 ft W 17	40.25	gr. Sec. corner Beech 6 ft 31 W 22
	Beech 10 ft 49 E 27		do 12 ft 4 W 38
80.40	Section corner	80.50	Section corner
North	Between Sec. 25 & 26	North	Between Sec. 13 & 14
35.00	A. Poplar 30 in. diam.	20.00	A. Brook 10 lbs. S. W
40.00	gr. Sec. corner Beech 20 ft 25 E 38	40.00	gr. Sec. corner B. Oak 10 ft 38 E 10
	do 18 ft 10 E 26		No more trees
80.00	Set post corner to Sec. 23, 24, 25, 26	80.00	Set post corner to Sec. 11, 12, 13, 14
	Dogwood 8 ft 68 E 17		Poplar 12 ft 88 E 19
	do 4 ft 9 E 26		Sugar 6 ft 37 E 15
	Land & Timber the same		Land & Timber the same
East	Between Sec. 24 & 25 On Random	East	Between Sec. 12 & 13 On Random
40.00	Temporary gr. Sec. post	14.50	A. Brook 12 lbs. South
80.00	Intersected N & S line 20 lbs. South of post	40.00	Temporary gr. Sec. post
	Land & Timber the same	80.76	Intersected N & S line 12 lbs. South of post
West	Corrected		Land & Timber the same
40.00	gr. Sec. corner Beech 6 ft 33 E 16	West	Corrected
	do 10 ft 55 W 17	40.38	gr. Sec. corner Sugar 6 ft 50 W 12
80.00	Section corner		W. Oak 7 ft 9 E 10
		80.76	Section corner

North	Between Sec. 11 & 12	East	Between Sec. 26 & 35 On Random
40.00	gr. Sec. corner Hickory 6 East 10	40.00	Temporary gr. Sec. post
	No other tree	79.35	Intersected N & S line 10 lbs South of post
80.00	Set post corner to Sec. 1, 2, 11, 12		Land Hilly. timber Oak. Hickory
	Beech 6 ft 4 W 4	West	Corrected
	Sugar 20 ft 22 E 21	39.75	gr. Sec. corner Beech 8 ft 61 W 26
	Land very Hilly. Oak timber		do 8 ft 52 E 9
East	Between Sec. 11 & 12 On Random	79.35	Section corner
40.00	Temporary gr. Sec. post	North	Between Sec. 26 & 27
79.75	Intersected N & S line 12 lbs South of post	40.00	gr. Sec. corner Elm 6 ft 19 W 9
	Land the same		Beech 10 ft 61 E 17
West	Corrected	65.10	A. W. Oak 20 in. diam.
39.75	gr. Sec. corner Beech 20 ft 45 E 25	80.00	Set post corner to Sec. 22, 23, 26, 27
	do 8 ft 30 W 5		Beech 12 ft 15 E 40
79.75	Section corner		do 10 ft 10 W 26
North	Between Sec. 11 & 12		Good farming land, Beech. Poplar & S.
40.00	gr. Sec. corner Dogwood - 11 ft 30 E 11	East	Between Sec. 23 & 26 On Random
	Beech 6 ft 35 W 10	20.00	A. Brook 40 lbs S. W
74.50	A. Sugar 20 in. diam.	36.00	Same S. W
82.75	Set post on the North Boundary 15 lbs N. of post	40.00	Temporary gr. Sec. post
	Ironwood 6 ft 54 W 6	79.10	Intersected N & S line 20 lbs South of post
	Beech 8 ft 16 W 20		Land the same
	Good farming land, Poplar, Beech & S.	West	Corrected
North	Between Sec. 34 & 35	39.55	gr. Sec. corner W. Oak 20 ft 74 W 22
7.00	A. Brook 75 lbs. S. E		do 17 ft 9 E 21
35.00	A. Brook 15 lbs S. W	79.10	Section corner
40.00	gr. Sec. corner Beech 20 ft 45 E 18	North	Between Sec. 22 & 23
	Sugar 10 ft 87 W 16	4.00	A. Brook 40 lbs. West
60.20	A. Beech 15 in. diam.	40.00	gr. Sec. corner Beech 10 ft 6 E 24
80.00	Set post corner to Sec. 26, 27, 34, 35		Ironwood 8 ft 30 E 23
	Sugar 10 ft 39 E 13	80.00	Set post corner to Sec. 14, 15, 22, 23
	do 10 ft 36 W 2		W. Oak 8 ft 67 E 9
	Land Hilly. Timber Sugar, Beech & S.		Beech 8 ft 68 W 10
			Land Hilly. timber same

East Between Secs 14 & 23 On Random
 33.20 A. Brook 10 lks. South
 40.00 Temporary gr. Sec. Corner
 79.45 Intersected N & S line 12 lks N. of post
 Sand & Timber Same
 West Corrected
 39.72 gr. Sec. corner W. Oak 10 N 25 W 11
 Chestnut 12 S 88 E 19
 79.45 Section Corner
 North Between Secs 10 & 11
 40.00 gr. Sec. corner Sugar 24 S 34 W 45
 Beech 12 N 80 E 27
 80.00 Set post corner to Secs 2, 3, 10, 11
 Beech 20 S 14 E 27
 Dogwood 5 N 31 W 20
 Sand the same
 East Between Secs 2 & 11 On Random
 40.00 Temporary gr. Sec. post
 79.92 Intersected N & S line 80 lks N. of post
 Sand the same
 West Corrected
 39.96 gr. Sec. corner Beech 8 N 77 W 77
 Hickory 8 S 2 E 77
 79.92 Section Corner
 North Between Secs 2 & 3
 3.00 A. Brook 10 lks West
 26.50 A. Brook 10 lks. N. W
 40.00 gr. Sec. corner Sugar 6 S 11 E 12
 Beech 9 N 88 E 22
 76.50 A. Brook 40 lks. West
 81.62 Set post on the N. Boundary 208 lks E. of post
 Beech 6 S 13 W 77
 do 5 S 48 E 4
 Sand the same

North Between Secs 33 & 34
 40.00 gr. Sec. corner B. Walnut 20 South 95
 No other tree
 80.00 Set post corner to Secs 27, 28, 33, 34
 Beech 10 S 14 E 6
 do 24 N 82 W 36
 Jack Oak lumb. Poplar, Ash, Beech &
 East Between Secs 27 & 34 On Random
 40.00 Temporary gr. Sec. post
 73.00 A. Brook 50 lks South
 80.55 Intersected N & S line 48 lks N. of post
 Sand Rolling timber Same
 West Corrected
 40.27 gr. Sec. corner Elm 10 N 15 W 13
 Beech 10 N 83 E 19
 80.55 Section Corner
 North Between Secs 27 & 28
 40.00 gr. Sec. corner Dogwood 6 N 18 E 10
 Hickory 5 N 7 W 19
 80.00 Set post corner of 21, 22, 27, 28
 Beech 20 N 51 W 13
 do 20 S 10 W 27
 Sand Hilly timber the same
 East Between Secs 22 & 27 On Random
 40.00 Temporary gr. Sec. post
 54.00 A. Spring North
 67.00 A. Brook 10 lks. S. E.
 76.00 A. Brook 50 lks South
 80.20 Intersected N & S line 12 lks N. of post
 Sand the same
 West Between Secs 22 & 27 Corrected
 40.10 gr. Sec. corner Beech 10 S 17 E 26
 do 20 S 56 W 22
 80.20 Section Corner

North Between Secs 21 & 22
 30.00 Fine Ridge & Edge of Rocks
 33.00 A. Brook 50 lks. S. W
 40.00 gr. Sec. corner Beech 6 S 26 W 8
 solace do 12 S 19 E 18
 45.00 Same Brook S. E.
 54.00 Same Brook S. W } on the North side
 74.00 Same Brook S. E } high bluffs of Rocks
 80.00 Set post corner to Secs 15, 16, 21, 22
 Mulberry 6 N 9 E 20
 Beech 24 S 12 E 23
 Broken land. Timber Oak, Beech &
 East Between Secs 15 & 22 On Random
 40.00 Temporary gr. Sec. post
 66.50 A. Brook 12 lks. S. W
 80.00 Intersected N & S line 20 lks N. of post
 Sand Oak & Rolling
 West Between Secs 15 & 22 Corrected
 40.00 gr. Sec. corner Elm 10 S 44 W 4
 Hickory 8 N 51 E 6
 80.00 Section Corner
 North Between Secs 15 & 16
 40.00 gr. Sec. corner Beech 10 N 11 W 13
 Sugar 10 S 3 W 16
 57.00 A. Brook 10 lks. West
 80.00 Set post corner of Secs 9, 10, 15, 16
 Ironwood 8 N 84 E 9
 do 6 S 29 W 9
 Hilly lumb. Beech, Poplar, Mug. Dogwood
 East Between Secs 10 & 15 On Random
 40.00 Temporary gr. Sec. post
 80.00 Intersected N & S line 8 lks. N. of post
 Sand the same
 West Corrected
 40.00 gr. Sec. corner Hickory 12 S 45 W 2
 Dogwood 6 N 72 W 20
 80.00 Section Corner

North Between Secs 9 & 10
 40.00 gr. Sec. corner Beech 8 S 0 W 21
 Elm 6 S 33 W 11
 This post stands in a Brook 10 lks. West
 80.00 Set post corner to Secs 3, 4, 9, 10
 Sugar 6 N 44 W 8
 Beech 8 N 13 E 11
 Sand Hilly. Beech, Poplar, Mug. Dogwood
 East Between Secs 3 & 10 On Random
 18.00 A. Brook 15 lks. N. W
 40.00 Temporary gr. Sec. post
 80.00 Intersected N & S line 10 lks N. of post
 Sand the same
 West Corrected
 40.00 gr. Sec. corner Sugar 12 N 77 E 22
 Dogwood 6 S 16 W 8
 80.00 Section Corner
 North Between Secs 3 & 4
 1.00 A. Brook 20 lks. S. W
 40.00 gr. Sec. corner Ironwood 6 N 23 W 13
 Beech 20 S 6 W 27
 47.00 A. Brook 20 lks. N. W
 81.75 Set post on the N. Boundary 175 lks E. of post
 Beech 10 N 18 W 10
 Sugar 10 S 3 E 20
 Sand the same
 North Between Secs 32 & 33
 40.00 gr. Sec. corner in a Brook 50 lks S. W
 Ironwood 10 S 60 E 26
 80.00 Set post corner of Secs 28, 29, 32, 33
 Hickory 10 S 37 E 15
 Beech 38 N 78 W 16
 Sand very Hilly. Oak, Hickory, Beech
 gr.

East Between Sec^s 28 & 33 On Random
40.00 Temporary of Sec. post
43.00 A. Brook 50 lks South
77.75 Intersected N & S line 4 lks. South of post
Land very dry. Oak Hickory, Beech &c.
West Between Sec^s 28 & 33 Corrected
39.87 1/2 of Sec. Corner Beech 6 S 70 W 4
Sugar 12 S 25 E 11
77.75 Section Corner
North Between Sec^s 28 & 29
33.90 A. W. Oak 28 in. diam.
40.00 of Sec. Corner Dogwood 6 S 34 W 11
do 5 S 51 W 17
80.00 Set post corner to Sec^s 20, 21, 28, 29
Beech 8 S 47 E 4
do 6 S 50 W 14
Land the same
East Between Sec^s 21 & 28 On Random
40.00 Temporary of Sec. post
42.50 A. Brook 50 lks South
65.00 A. Brook 7 lks S. W
80.00 Intersected N & S line 20 lks S. of post
Land the same
West Corrected
40.00 of Sec. Corner Beech 6 S 68 E 7
do 8 S 15 W 17
80.00 Section Corner
North Between Sec^s 20 & 21
35.00 A. Brook 10 lks East
40.00 of Sec. Corner Beech 24 S 23 E 10
Chesnut 12 S 3 E 27
80.00 Set post corner of Sec^s 16, 17, 20, 21
Beech 24 S 80 E 14
Sugar 8 S 21 W 25
Land the same

East Between Sec^s 16 & 21 On Random
37.25 A. Brook 50 lks South
40.00 Temporary of Sec. post
64.00 A. Brook 10 lks S. W
77.00 Intersected N & S line 20 lks South of post
West Between Sec^s 16 & 21 Corrected
39.50 of Sec. Corner Beech 20 S 12 W 13
Sugar 6 S 34 W 3
77.00 Section Corner
North Between Sec^s 16 & 17
40.00 of Sec. Corner Beech 16 S 5 E 35
This post stands on the N. Side of Brook 10 lks. S. E
59.50 A. Brook 12 lks East
80.00 Set post corner of Sec^s 8, 9, 16, 17
Beech 6 S 16 W 7
do 12 East 15
Land good for farming. Oak Hickory, Beech &c.
East Between Sec^s 9 & 16 On Random
34.00 A. Brook 50 lks S. W. on the E. Side Pine
40.00 Temporary of Sec. post
77.84 Intersected N & S line 82 lks S. of post
Land the same
West Corrected
39.72 of Sec. Corner Beech 6 S 84 W 8
Maple 7 S 44 W 4
77.84 Section Corner
North Between Sec^s 8 & 9
40.00 of Sec. Corner Beech 6 S 13 E 7
do 8 S 14 E 16
50.00 A. Chesnut 30 in. diam.
80.00 Set post corner to Sec^s 4, 5, 8, 9
Sugar 10 S 30 W 23
do 30 S 5 W 27
Land the same

East Between Sec^s 4 & 9 On Random
1.50 A. Brook 12 lks South
40.00 Temporary of Sec. post
43.00 A. Brook 10 lks S. E
48.00 A. Brook 40 lks South
75.00 A. Brook 12 lks S. W
79.10 Intersected N & S line 79 lks S. of post
Land the same
West Corrected
39.55 of Sec. Corner Sugar 10 S 68 E 7
Beech 12 S 43 E 16
77.10 Section Corner
North Between Sec^s 4 & 5
1.00 A. Brook 10 lks East
40.00 of Sec. Corner Beech 6 S 63 W 9
do 7 S 11 W 18
82.35 Set post of the N. Boundary 45 lks E of post
Sugar 10 S 65 W 16
Ironwood 6 S 57 E 22
Land the same
North Between Sec^s 31 & 32
8.00 A. Spring run 5 lks East
30.00 A. Spring East
40.00 of Sec. Corner Sugar 8 S 76 E 25
do 10 S 8 W 23
80.00 Set post corner of Sec^s 29, 30, 31, 32
Beech 12 S 70 E 8
do 12 S 17 E 32
Good farming land Beech, Poplar, Ash &c.
East Between Sec^s 29 & 32 On Random
40.00 Temporary of Sec. post
50.50 A. Brook 10 lks East
77.85 Intersected N & S line 12 lks N. of post
Land the same

West Corrected
39.72 1/2 of Sec. Corner Hickory 12 S 60 W 10
Beech 20 S 80 E 14
77.85 Section Corner
North Between Sec^s 29 & 30
34.00 A. Beech 20 in. diam.
40.00 of Sec. Corner Beech 6 S 7 W
do 20 S 47 E 20
80.00 Set post corner to Sec^s 19, 20, 29, 30
Sugar 10 S 21 E 17
Beech 6 S 9 W 4
Land the same
East Between Sec^s 20 & 29 On Random
40.00 Temporary of Sec. post
77.85 Intersected N & S line 30 lks North of post
Good farming land, Beech, Poplar, Ash &c.
West Corrected
39.72 1/2 of Sec. Corner Beech 10 S 78 E 7
do 12 S 60 W 15
77.85 Section Corner
North Between Sec^s 19 & 20
40.00 of Sec. Corner Beech 16 S 28 E 7
Dogwood 6 S 15 W 9
A. Spring West
80.00 Set post corner to Sec^s 17, 18, 19, 20
Beech 20 S 7 W 21
do 12 S 23 E 10
Land the same
East Between Sec^s 17 & 20 On Random
40.00 Temporary of Sec. post
77.72 Intersected N & S line 35 lks N. of post
Land the same
West Corrected
39.96 of Sec. Corner Dogwood 6 S 35 W 4
do 6 S 4 E 27
77.72 Section Corner

North Between Sec. 1 & 18
 40.00 gr. Sec. corner Hancock 8 St 15 N 7
 June 20 St 89 N 7
 50.00 A. W. Oak 20 in. diam.
 80.00 Set post corner to Sec. 7, 8, 17, 18
 Walnut 15 St 15 N 16
 Sugar 5 St 35 E 7
 Land the same
 East Between Sec. 8 & 17 On Random
 40.00 Temporary gr. Sec. post
 64.00 A. Spring run 12 lbs South
 79.93 Intersected St & Line 30 lbs North of post
 West Corrected
 39.96 gr. Sec. corner Sugar 10 St 39 N 16
 Elm 10 St 31 N 23
 79.93 Section corner
 North Between Sec. 7 & 8
 40.00 gr. Sec. corner Sugar 8 St 19 E 41
 Beech 20 St 66 E 26
 80.00 Set post corner to Sec. 5, 6, 7, 8
 Sassafras 8 St 6 N 37
 Beech 20 St 86 E 28
 Land Rich. Sugar. Beech. Walnut &
 East Between Sec. 5 & 8 On Random
 40.00 Temporary gr. Sec. post
 79.95 Intersected St & Line 72 lbs North of post
 Land the same
 West Corrected
 39.87 gr. Sec. corner Beech 10 St 66 N 14
 do 6 St 52 E 11
 79.95 Section corner
 North Between Sec. 5 & 16
 40.00 gr. Sec. corner Elm 12 St 54 N 17
 Sugar 10 St 23 N 34

80.95 Set post on the North Boundary 5.25 lbs
 East of Section corner
 Beech 6 St 40 N 7
 do 188 E 7
 Land rich & rolling
 West Between Sec. 6 & 7
 40.00 gr. Sec. corner Beech 10 St 53 N 5
 Hickory 10 St 74 N 9
 69.25 Set post on the N. Boundary 70 lbs. S. of post
 Sugar 10 St 50 N 8
 Beech 8 St 70 E 11
 Land Rich Sugar. Beech. 117th Spruce
 West Between Sec. 7 & 18
 27.80 A. W. Oak 20 in. diam.
 40.00 gr. Sec. corner Beech 20 St 40 N 6
 do 20 St 66 E 22
 69.50 Set post on the N. Boundary 66 lbs. S. of post
 Sugar 20 St 5 N 32
 Beech 12 St 33 E 11
 Same & level
 East Between Sec. 11 & 14 On Random
 40.00 Temporary gr. Sec. post
 79.80 Intersected St & Line 30 lbs North of post
 Land Rich. Oak. Hickory. Beech &
 West Corrected
 39.90 gr. Sec. corner W. Oak 10 St 76 N 5
 B. Oak 20 St 37 N 16
 79.80 Section corner
 West Between Sec. 18 & 19
 22.50 A. Beech 20 in. diam.
 40.00 gr. Sec. corner Beech 6 St 20 E 5
 do 10 St 86 N 32
 58.20 A. Beech 12 lbs S. N
 70.55 Set post on the N. Boundary 43 lbs. S. of post
 Beech 24 St 37 E 6
 do 6 St 52 N 33
 Land Rich. Oak & Hickory

West Between Sec. 19 & 30
 40.00 gr. Sec. corner Beech 18 St 53 E 19
 do 20 St 72 N 28
 70.95 Set post on the N. Boundary 18 lbs. S. of post
 Dogwood 6 St 68 E 4
 Beech 20 St 73 E 14
 Land Rich & level
 West Between Sec. 30 & 31
 25.00 A. Spring run West
 40.00 gr. Sec. corner Sugar 12 St 50 E 16
 W. Oak 10 St 53 N 16
 63.00 A. Beech 12 lbs S. N
 71.55 Set post on the N. Boundary 49 lbs E. of post
 Sugar 10 St 3 N 40
 Beech 20 St 76 N 11
 Land Section & Rich
 North Between Sec. 14 & 15
 40.00 gr. Sec. corner Beech 10 St 77 N 7
 do 8 St 47 E 22
 80.00 Set post corner to Sec. 10, 11, 14, 15
 W. Oak 20 St 87 N 14
 Mulberry 10 St 15 E 38
 Land the same
 Surveyed by Arthur Davis D.S.